

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S1 | 806 | lockstep | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:43 |
| S2 | 369 | "71"?clas. lockstep | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:44 |
| S3 | 25 | "71"?clas. lockstep symmetric | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:44 |
| S4 | 1 | "71"?clas. lockstep symmetric near8 execut\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:45 |
| S5 | 72 | "71"?clas. lockstep (symmetric or duplicat\$4 or replact\$4 or redundan\$4) with execut\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:46 |
| S6 | 66 | "71"?clas. lockstep (symmetric or duplicat\$4 or replact\$4 or redundan\$4) near8 execut\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:03 |
| S7 | 31 | "71"?clas. lockstep (symmetric or duplicat\$4 or replact\$4 or redundan\$4) near8 execut\$4 same compar\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 13:54 |
| S8 | 1925 | "71"?clas. (symmetric or duplicat\$4 or replact\$4 or redundan\$4) near8 execut\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:03 |
| S9 | 58 | "71"?clas. (symmetric or duplicat\$4 or replact\$4 or redundan\$4) near8 execut\$4 same (multiple or several or two or multitude or plurality) near5 "execution units" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:04 |
| S10 | 3 | "71"?clas. (symmetric or duplicat\$4 or replact\$4 or redundan\$4) near8 execut\$4 same (multiple or several or two or multitude or plurality) near5 "execution units" same compar\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:10 |
| S11 | 46 | "71"?clas. "redundancy mode" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:11 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|-----|------------------|
| S12 | 2 | "71"?clas. "redundancy mode" execution near2 units same compar\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:11 |
| S13 | 2 | "71"?clas. "redundancy mode" with execution near2 units same compar\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 14:11 |
| S14 | 2 | "71"?clas. "redundancy mode" same execution near2 units same compar\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 15:03 |
| S15 | 1637 | increas\$4 near5 number near5 (execution or arithmetic or logical) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 15:04 |
| S16 | 427 | increas\$4 near5 (number or amount or quantity) near5 (execution or arithmetic or logical) with (advantage or performance or speed or parallel) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 15:04 |
| S17 | 130 | "712".clas. increas\$4 near5 (number or amount or quantity) near5 (execution or arithmetic or logical) with (advantage or performance or speed or parallel) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 15:05 |
| S18 | 118 | "712".clas. increas\$4 near5 number near5 (execution or arithmetic or logical) with (advantage or performance or speed or parallel) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/21 15:07 |
| S19 | 31 | "712".clas. increas\$4 near5 number near5 (execution or arithmetic or logical) near2 unit\$1 with (advantage or performance or speed or parallel) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 09:19 |
| S20 | 47 | set near2 bit near5 chang\$4 near5 mode | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 09:20 |
| S21 | 4 | "712".clas. set near2 bit near5 chang\$4 near5 mode | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 09:20 |
| S22 | 336 | "712".clas. set near2 bit near8 mode | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 09:21 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|-----|------------------|
| S23 | 47 | "712".clas. set near2 bit near8 mode with (program or application or os or "operating system" or firmware) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 11:03 |
| S24 | 21 | "712".clas. set near2 bit near8 mode with (application or os or "operating system" or firmware) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 09:23 |
| S25 | 122 | instruction with "change mode" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 11:03 |
| S26 | 19 | instruction adj "change mode" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:41 |
| S27 | 0 | (error\$1 or interrupt\$1) near5 bit with (set or reset) with "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:42 |
| S28 | 5 | (error\$1 or interrupt\$1) near5 bit with "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:43 |
| S29 | 5 | (error\$1 or interrupt\$1) adj10 bit with "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:44 |
| S30 | 7 | (error\$1 or interrupt\$1) adj10 error same "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:49 |
| S31 | 6 | (error\$1 or interrupt\$1) adj10 bit same "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:58 |
| S32 | 13 | (error\$1 or interrupt\$1) near10 (toggle or set or reset or start or stop or mode) same "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:02 |
| S33 | 3 | (error\$1 or interrupt\$1) near10 (toggle or set or reset or start or stop or mode) with "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 14:59 |
| S34 | 8 | error with "critical section" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:13 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|-----|------------------|
| S35 | 1738 | error near2 (handl\$4 or detect\$4 or catch\$4) adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:14 |
| S36 | 1357 | error adj2 (handl\$4 or detect\$4 or catch\$4) adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:14 |
| S37 | 617 | error adj2 detection adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:16 |
| S38 | 168 | "error detection bit" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:14 |
| S39 | 0 | "712".clas. "error detection bit" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:14 |
| S40 | 6 | "712".clas. error adj2 detection adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:14 |
| S41 | 75 | "7"??clas. "error detection bit" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:15 |
| S42 | 63 | "71"?.clas. "error detection bit" | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:15 |
| S43 | 0 | "71"?.clas. "error detection bit" with togggl\$4 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:15 |
| S44 | 7 | "71"?.clas. "error detection bit" with (toggl\$4 or set or setting or reset\$4) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:15 |
| S45 | 0 | error adj2 detection adj2 bit with toggle | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:16 |
| S46 | 23 | (set or setting or reset\$4) with error adj2 detection adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:18 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|-----|------------------|
| S47 | 11 | (set or setting or reset\$4) adj10 error adj2 detection adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:18 |
| S48 | 7 | "7"?? clas. (set or setting or reset\$4) adj10 error adj2 detection adj2 bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:20 |
| S49 | 202 | toggle near5 error\$1 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:21 |
| S50 | 84 | "7"?? clas. toggle near5 error\$1 | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:21 |
| S51 | 17 | "7"?? clas. toggle near5 error\$1 with bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:24 |
| S52 | 502 | "7"?? clas. (enabl\$4 or disabl\$4) adj5 error with bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:25 |
| S53 | 0 | "7"?? clas. (enabl\$4 or disabl\$4) adj5 error adj5 detection with bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:25 |
| S54 | 63 | "7"?? clas. (enabl\$4 or disabl\$4) adj5 error adj5 detection with bit | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/23 15:25 |
| S55 | 5344 | "714". clas. (set or reset or enable or disable) near5 error | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:01 |
| S56 | 1831 | "714". clas. (set or reset or enable or disable) near5 error with (mode or bit or flag) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:01 |
| S57 | 1169 | "714". clas. (set or reset or enable or disable) adj5 error with (mode or bit or flag) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:01 |
| S58 | 387 | "714". clas. (set or reset or enable or disable) adj5 error adj5 (mode or bit or flag) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:01 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|-----|------------------|
| S59 | 355 | "714".clas. (set or reset or enable or disable) adj5 error adj5 (bit or flag) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:01 |
| S60 | 29 | "714".clas. (enable or disable) adj5 error adj5 (bit or flag) | US-PGPUB; USPAT; USOCR; DERWENT | AND | OFF | 2006/02/24 13:02 |